

Table of Contents

ORDCHG	Purchase order change request message	1
UNH	MESSAGE HEADER	3
BGM	BEGINNING OF MESSAGE	5
DTM	DATE/TIME/PERIOD	6
FTX	FREE TEXT	7
Group 1	Segment Group 1	9
RFF	REFERENCE	10
DTM	DATE/TIME/PERIOD	11
Group 3	Segment Group 3	12
NAD	NAME AND ADDRESS	13
LOC	PLACE/LOCATION IDENTIFICATION	15
Group 6	Segment Group 6	17
CTA	CONTACT INFORMATION	18
COM	COMMUNICATION CONTACT	19
Group 8	Segment Group 8	20
CUX	CURRENCIES	21
Group 9	Segment Group 9	23
PAT	PAYMENT TERMS BASIS	24
PCD	PERCENTAGE DETAILS	26
Group 26	Segment Group 26	27
LIN	LINE ITEM	28
PIA	ADDITIONAL PRODUCT ID	30
IMD	ITEM DESCRIPTION	33
MEA	MEASUREMENTS	34
QTY	QUANTITY	36
DTM	DATE/TIME/PERIOD	37
MOA	MONETARY AMOUNT	38
FTX	FREE TEXT	39
Group 31	Segment Group 31	41
RFF	REFERENCE	42
Group 32	Segment Group 32	43
PAC	PACKAGE	44
Group 33	Segment Group 33	46
RFF	REFERENCE	47
DTM	DATE/TIME/PERIOD	48
Group 34	Segment Group 34	49
PCI	PACKAGE IDENTIFICATION	50
RFF	REFERENCE	52
DTM	DATE/TIME/PERIOD	53

GIN	GOODS IDENTITY NUMBER	54
Group 37	Segment Group 37	56
NAD	NAME AND ADDRESS	57
LOC	PLACE/LOCATION IDENTIFICATION	59
Group 38	Segment Group 38	61
RFF	REFERENCE	62
Group 51	Segment Group 51	63
SCC	SCHEDULING CONDITIONS	64
FTX	FREE TEXT	65
RFF	REFERENCE	67
Group 52	Segment Group 52	68
QTY	QUANTITY	69
DTM	DATE/TIME/PERIOD	70
UNS	SECTION CONTROL	71
UNT	MESSAGE TRAILER	72

ORDCHG Purchase order change request message

Message Status=**2**

Definition: A message from the buyer to the seller, specifying details of the buyer's request to change a purchase order.

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N1/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N1/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	35	N1/0030	Must use
0070	FTX	FREE TEXT	C	99	N1/0070	Used
0080		Segment Group 1	C	99	N1/0080	Used
0090	RFF	REFERENCE	M	1	N1/0090	Must use
0100	DTM	DATE/TIME/PERIOD	C	5	N1/0100	Used
0140		Segment Group 3	C	99	N1/0140	Used
0150	NAD	NAME AND ADDRESS	M	1	N1/0150	Must use
0160	LOC	PLACE/LOCATION IDENTIFICATION	C	25	N1/0160	Used
0240		Segment Group 6	C	5	N1/0240	Used
0250	CTA	CONTACT INFORMATION	M	1	N1/0250	Must use
0260	COM	COMMUNICATION CONTACT	C	5	N1/0260	Used
0310		Segment Group 8	C	5	N1/0310	Used
0320	CUX	CURRENCIES	M	1	N1/0320	Must use
0350		Segment Group 9	C	10	N1/0350	Used
0360	PAT	PAYMENT TERMS BASIS	M	1	N1/0360	Must use
0380	PCD	PERCENTAGE DETAILS	C	1	N1/0380	Used

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0960		Segment Group 26	C	200000	N2/0960	Used
0970	LIN	LINE ITEM	M	1	N2/0970	Must use
0980	PIA	ADDITIONAL PRODUCT ID	C	25	N2/0980	Used
0990	IMD	ITEM DESCRIPTION	C	99	N2/0990	Used
1000	MEA	MEASUREMENTS	C	99	N2/1000	Used
1010	QTY	QUANTITY	C	10	N2/1010	Used
1040	DTM	DATE/TIME/PERIOD	C	35	N2/1040	Used
1050	MOA	MONETARY AMOUNT	C	10	N2/1050	Used
1110	FTX	FREE TEXT	C	99	N2/1110	Used
1300		Segment Group 31	C	999	N2/1300	Used
1310	RFF	REFERENCE	M	1	N2/1310	Must use
1330		Segment Group 32	C	10	N2/1330	Used
1340	PAC	PACKAGE	M	1	N2/1340	Must use
1380		Segment Group 33	C	1	N2/1380	Used

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
1390	RFF	REFERENCE	M	1	N2/1390	Must use
1400	DTM	DATE/TIME/PERIOD	C	5	N2/1400	Used
1410		Segment Group 34	C	5	N2/1410	Used
1420	PCI	PACKAGE IDENTIFICATION	M	1	N2/1420	Must use
1430	RFF	REFERENCE	C	1	N2/1430	Used
1440	DTM	DATE/TIME/PERIOD	C	5	N2/1440	Used
1450	GIN	GOODS IDENTITY NUMBER	C	10	N2/1450	Used
1540		Segment Group 37	C	99	N2/1540	Used
1550	NAD	NAME AND ADDRESS	M	1	N2/1550	Must use
1560	LOC	PLACE/LOCATION IDENTIFICATION	C	5	N2/1560	Used
1570		Segment Group 38	C	5	N2/1570	Used
1580	RFF	REFERENCE	M	1	N2/1580	Must use
1980		Segment Group 51	C	100	N2/1980	Used
1990	SCC	SCHEDULING CONDITIONS	M	1	N2/1990	Must use
2000	FTX	FREE TEXT	C	5	N2/2000	Used
2010	RFF	REFERENCE	C	5	N2/2010	Used
2020		Segment Group 52	C	10	N2/2020	Used
2030	QTY	QUANTITY	M	1	N2/2030	Must use
2040	DTM	DATE/TIME/PERIOD	C	5	N2/2040	Used

Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
2150	UNS	SECTION CONTROL	M	1	N3/2150	Must use
2220	UNT	MESSAGE TRAILER	M	1	N3/2220	Must use

UNH MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 4

User Option (Usage): Must use

Function: To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNH010	0062	Message reference number	M	an	1/14	Must use
		Description: Unique message reference assigned by the sender.				
UNH020	S009	MESSAGE IDENTIFIER	M	Comp		Must use
		Description: Identification of the type, version etc. of the message being interchanged.				
UNH020-010	0065	Message type identifier	M	an	1/6	Must use
		Description: Code identifying a type of message and assigned by its controlling agency.				
		All valid standard codes are used. (Total Codes: 145)				
UNH020-020	0052	Message type version number	M	an	1/3	Must use
		Description: Version number of a message type.				
		All valid standard codes are used. (Total Codes: 7)				
UNH020-030	0054	Message type release number	M	an	1/3	Must use
		Description: Release number within the current message type version number (0052).				
		All valid standard codes are used. (Total Codes: 15)				
UNH020-040	0051	Controlling agency	M	an	1/2	Must use
		Description: Code identifying the agency controlling the specification, maintenance and publication of the message type.				
		All valid standard codes are used. (Total Codes: 20)				
UNH020-050	0057	Association assigned code	C	an	1/6	Used
		Description: Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.				
UNH030	0068	Common access reference	C	an	1/35	Used
		Description: Reference serving as a key to relate all subsequent transfers of data to the same business case or file.				
UNH040	S010	STATUS OF THE TRANSFER	C	Comp		Used
		Description: Statement that the message is one in a sequence of transfers relating to the same topic.				
UNH040-010	0070	Sequence message transfer number	M	n	1/2	Must use
		Description: Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.				
UNH040-020	0073	First/last sequence message transfer indication	C	a	1/1	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	------------	---------------------	---------------	-------------	----------------	--------------

Description: Indication used for the first and last message in a sequence of the same type of message relating to the same topic.

All valid standard codes are used. (Total Codes: 2)

BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 4

User Option (Usage): Must use

Function: To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME	C	Comp		Used
		Description: Identification of a type of document/message by code or name. Code preferred.				
BGM010-010	1001	Document/message name, coded	C	an	1/3	Used
		Description: Document/message identifier expressed in code. All valid standard codes are used. (Total Codes: 424)				
BGM010-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
BGM010-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
BGM010-040	1000	Document/message name	C	an	1/35	Used
		Description: Plain language identifier specifying the function of a document/message.				
BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION	C	Comp		Used
		Description: Identification of a document/message by its number and eventually its version or revision.				
BGM020-010	1004	Document/message number	C	an	1/35	Used
		Description: Reference number assigned to the document/message by the issuer.				
BGM020-020	1056	Version	C	an	1/9	Used
		Description: To specify the version number or name of an object.				
BGM020-030	1060	Revision number	C	an	1/6	Used
		Description: To specify a revision number.				
BGM030	1225	Message function, coded	C	an	1/3	Used
		Description: Code indicating the function of the message. All valid standard codes are used. (Total Codes: 55)				
BGM040	4343	Response type, coded	C	an	1/3	Used
		Description: Code specifying the type of acknowledgment required or transmitted. All valid standard codes are used. (Total Codes: 13)				

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 35
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

FTX FREE TEXT

Pos: 0070	Max: 99
Conditional	
Group: N/A	Elements: 5

User Option (Usage): Used**Function:** To provide free form or coded text information.**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	Text subject qualifier	M	an	1/3	Must use
		Description: Code specifying subject of a free text. All valid standard codes are used. (Total Codes: 189)				
FTX020	4453	Text function, coded	C	an	1/3	Used
		Description: Code specifying how to handle the text. All valid standard codes are used. (Total Codes: 4)				
FTX030	C107	TEXT REFERENCE	C	Comp		Used
		Description: Coded reference to a standard text and its source.				
FTX030-010	4441	Free text identification	M	an	1/17	Must use
		Description: Free text in coded form.				
FTX030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
FTX030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
FTX040	C108	TEXT LITERAL	C	Comp		Used
		Description: Free text; one to five lines.				
FTX040-010	4440	Free text	M	an	1/70	Must use
		Description: Free text field available to the message sender for information.				
FTX040-020	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-030	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-040	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-050	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX050	3453	Language, coded	C	an	1/3	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code of language (ISO 639-1988).				

Segment Group 1

Pos: 0080	Repeat: 99
Conditional	
Group: 1	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0090	RFF	REFERENCE	M	1	Must use
0100	DTM	DATE/TIME/PERIOD	C	5	Used

RFF REFERENCE

Pos: 0090	Max: 1
Mandatory	
Group: 1	Elements: 1

User Option (Usage): Must use
Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

DTM DATE/TIME/PERIOD

Pos: 0100	Max: 5
Conditional	
Group: 1	Elements: 1

User Option (Usage): Used

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

Segment Group 3

Pos: 0140	Repeat: 99
Conditional	
Group: 3	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0150	NAD	NAME AND ADDRESS	M	1	Must use
0160	LOC	PLACE/LOCATION IDENTIFICATION	C	25	Used
0240		Segment Group 6	C	5	Used

NAD NAME AND ADDRESS

Pos: 0150	Max: 1
Mandatory	
Group: 3	Elements: 9

User Option (Usage): Must use

Function: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a party. All valid standard codes are used. (Total Codes: 325)				
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
		Description: Identification of a transaction party by code.				
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
		Description: Code identifying a party involved in a transaction.				
NAD020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
NAD030	C058	NAME AND ADDRESS	C	Comp		Used
		Description: Unstructured name and address: one to five lines.				
NAD030-010	3124	Name and address line	M	an	1/35	Must use
		Description: Free form name and address description.				
NAD030-020	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-030	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-040	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-050	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD040	C080	PARTY NAME	C	Comp		Used
		Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.				
NAD040-010	3036	Party name	M	an	1/35	Must use

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Name of a party involved in a transaction.				
NAD040-020	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-030	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-040	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-050	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-060	3045	Party name format, coded	C	an	1/3	Used
		Description: Specification of the representation of a party name. All valid standard codes are used. (Total Codes: 1)				
NAD050	C059	STREET	C	Comp		Used
		Description: Street address and/or PO Box number in a structured address: one to three lines.				
NAD050-010	3042	Street and number/p.o. box	M	an	1/35	Must use
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-020	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-030	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-040	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD060	3164	City name	C	an	1/35	Used
		Description: Name of a city (a town, a village) for addressing purposes.				
NAD070	3229	Country sub-entity identification	C	an	1/9	Used
		Description: Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.				
NAD080	3251	Postcode identification	C	an	1/9	Used
		Description: Code defining postal zones or addresses.				
NAD090	3207	Country, coded	C	an	1/3	Used
		Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.				

LOC PLACE/LOCATION IDENTIFICATION

Pos: 0160	Max: 25
Conditional	
Group: 3	Elements: 5

User Option (Usage): Used

Function: To identify a country/place/location/related location one/related location two.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LOC010	3227	Place/location qualifier	M	an	1/3	Must use
		Description: Code identifying the function of a location. All valid standard codes are used. (Total Codes: 169)				
LOC020	C517	LOCATION IDENTIFICATION	C	Comp		Used
		Description: Identification of a location by code or name.				
LOC020-010	3225	Place/location identification	C	an	1/25	Used
		Description: Identification of the name of place/location, other than 3164 City name.				
LOC020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
LOC020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
LOC020-040	3224	Place/location	C	an	1/70	Used
		Description: Name of place/location, other than 3164 City name.				
LOC030	C519	RELATED LOCATION ONE IDENTIFICATION	C	Comp		Used
		Description: Identification the first related location by code or name.				
LOC030-010	3223	Related place/location one identification	C	an	1/25	Used
		Description: Specification of the first related place/location by code.				
LOC030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
LOC030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
LOC030-040	3222	Related place/location one	C	an	1/70	Used
		Description: Specification of the first related place/location by name.				
LOC040	C553	RELATED LOCATION TWO	C	Comp		Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		IDENTIFICATION				
		Description: Identification of second related location by code or name.				
LOC040-010	3233	Related place/location two identification	C	an	1/25	Used
		Description: Specification of a second related place/location by code.				
LOC040-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
LOC040-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
LOC040-040	3232	Related place/location two	C	an	1/70	Used
		Description: Specification of a second related place/location by name.				
LOC050	5479	Relation, coded	C	an	1/3	Used
		Description: To specify the relationship between two or more items.				

Segment Group 6

Pos: 0240	Repeat: 5
Conditional	
Group: 6	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0250	CTA	CONTACT INFORMATION	M	1	Must use
0260	COM	COMMUNICATION CONTACT	C	5	Used

CTA CONTACT INFORMATION

Pos: 0250	Max: 1
Mandatory	
Group: 6	Elements: 2

User Option (Usage): Must use

Function: To identify a person or a department to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTA010	3139	Contact function, coded	C	an	1/3	Used
<p>Description: Code specifying the function of a contact (e.g. department or person). All valid standard codes are used. (Total Codes: 85)</p>						
CTA020	C056	DEPARTMENT OR EMPLOYEE DETAILS	C	Comp		Used
<p>Description: Code and/or name of a department or employee. Code preferred.</p>						
CTA020-010	3413	Department or employee identification	C	an	1/17	Used
<p>Description: Internal identification code.</p>						
CTA020-020	3412	Department or employee	C	an	1/35	Used
<p>Description: The department or person within an organizational entity.</p>						

COM COMMUNICATION CONTACT

Pos: 0260	Max: 5
Conditional	
Group: 6	Elements: 1

User Option (Usage): Used

Function: To identify a communication number of a department or a person to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
COM010	C076	COMMUNICATION CONTACT	M	Comp		Must use
Description: Communication number of a department or employee in a specified channel.						
COM010-010	3148	Communication number	M	an	1/512	Must use
Description: The communication number.						
COM010-020	3155	Communication channel qualifier	M	an	1/3	Must use
Description: Code identifying the type of communication channel being used.						
All valid standard codes are used. (Total Codes: 27)						

Segment Group 8

Pos: 0310	Repeat: 5
Conditional	
Group: 8	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0320	CUX	CURRENCIES	M	1	Must use

CUX CURRENCIES

Pos: 0320	Max: 1
Mandatory	
Group: 8	Elements: 4

User Option (Usage): Must use

Function: To specify currencies used in the transaction and relevant details for the rate of exchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUX010	C504	CURRENCY DETAILS	C	Comp		Used
		Description: The usage to which a currency relates.				
CUX010-010	6347	Currency details qualifier	M	an	1/3	Must use
		Description: Specification of the usage to which the currency relates.				
		All valid standard codes are used. (Total Codes: 7)				
CUX010-020	6345	Currency, coded	C	an	1/3	Used
		Description: Identification of the name or symbol of the monetary unit involved in the transaction.				
CUX010-030	6343	Currency qualifier	C	an	1/3	Used
		Description: Code giving specific meaning to data element 6345 Currency.				
		All valid standard codes are used. (Total Codes: 17)				
CUX010-040	6348	Currency rate base	C	n	1/4	Used
		Description: Multiplying factor used in expressing the number of currency units.				
CUX020	C504	CURRENCY DETAILS	C	Comp		Used
		Description: The usage to which a currency relates.				
CUX020-010	6347	Currency details qualifier	M	an	1/3	Must use
		Description: Specification of the usage to which the currency relates.				
		All valid standard codes are used. (Total Codes: 7)				
CUX020-020	6345	Currency, coded	C	an	1/3	Used
		Description: Identification of the name or symbol of the monetary unit involved in the transaction.				
CUX020-030	6343	Currency qualifier	C	an	1/3	Used
		Description: Code giving specific meaning to data element 6345 Currency.				
		All valid standard codes are used. (Total Codes: 17)				
CUX020-040	6348	Currency rate base	C	n	1/4	Used
		Description: Multiplying factor used in expressing the number of currency units.				
CUX030	5402	Rate of exchange	C	n	1/12	Used
		Description: The rate at which one specified currency is expressed in another specified currency.				
CUX040	6341	Currency market exchange, coded	C	an	1/3	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code identifying the market upon which the currency exchange rate is based.				
		All valid standard codes are used. (Total Codes: 23)				

Segment Group 9

Pos: 0350	Repeat: 10
Conditional	
Group: 9	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0360	PAT	PAYMENT TERMS BASIS	M	1	Must use
0380	PCD	PERCENTAGE DETAILS	C	1	Used

PAT PAYMENT TERMS BASIS

Pos: 0360	Max: 1
Mandatory	
Group: 9	Elements: 3

User Option (Usage): Must use

Function: To specify the payment terms basis.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAT010	4279	Payment terms type qualifier	M	an	1/3	Must use
		Description: Identification of the type of payment terms. All valid standard codes are used. (Total Codes: 35)				
PAT020	C110	PAYMENT TERMS	C	Comp		Used
		Description: Terms of payment code from a specified source.				
PAT020-010	4277	Terms of payment identification	M	an	1/17	Must use
		Description: Identification of the terms of payment between the parties to a transaction (generic term). All valid standard codes are used. (Total Codes: 6)				
PAT020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PAT020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PAT020-040	4276	Terms of payment	C	an	1/35	Used
		Description: Conditions of payment between the parties to a transaction (generic term).				
PAT020-050	4276	Terms of payment	C	an	1/35	Used
		Description: Conditions of payment between the parties to a transaction (generic term).				
PAT030	C112	TERMS/TIME INFORMATION	C	Comp		Used
		Description: Time details in payment terms.				
PAT030-010	2475	Payment time reference, coded	M	an	1/3	Must use
		Description: Code relating payment terms to the date of a specific event. All valid standard codes are used. (Total Codes: 62)				
PAT030-020	2009	Time relation, coded	C	an	1/3	Used
		Description: Code relating payment terms to a time before, on or after the reference date. All valid standard codes are used. (Total Codes: 12)				
PAT030-030	2151	Type of period, coded	C	an	1/3	Used
		Description: Agreed or specified period of time (coded).				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
All valid standard codes are used. (Total Codes: 23)						
PAT030-040	2152	Number of periods	C	n	1/3	Used
Description: Number of periods of the type indicated in data element 2151 Type of period, coded.						

PCD PERCENTAGE DETAILS

Pos: 0380	Max: 1
Conditional	
Group: 9	Elements: 1

User Option (Usage): Used

Function: To specify percentage information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PCD010	C501	PERCENTAGE DETAILS	M	Comp		Must use
		Description: Percentage relating to a specified basis.				
PCD010-010	5245	Percentage qualifier	M	an	1/3	Must use
		Description: Identification of the usage of a percentage. All valid standard codes are used. (Total Codes: 48)				
PCD010-020	5482	Percentage	C	n	1/10	Used
		Description: Value expressed as a percentage of a specified amount.				
PCD010-030	5249	Percentage basis, coded	C	an	1/3	Used
		Description: Indication of the application of a percentage. All valid standard codes are used. (Total Codes: 14)				
PCD010-040	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PCD010-050	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				

Segment Group 26

Pos: 0960	Repeat:
	200000
Conditional	
Group: 26 Elements: N/A	

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0970	LIN	LINE ITEM	M	1	Must use
0980	PIA	ADDITIONAL PRODUCT ID	C	25	Used
0990	IMD	ITEM DESCRIPTION	C	99	Used
1000	MEA	MEASUREMENTS	C	99	Used
1010	QTY	QUANTITY	C	10	Used
1040	DTM	DATE/TIME/PERIOD	C	35	Used
1050	MOA	MONETARY AMOUNT	C	10	Used
1110	FTX	FREE TEXT	C	99	Used
1300		Segment Group 31	C	999	Used
1330		Segment Group 32	C	10	Used
1540		Segment Group 37	C	99	Used
1980		Segment Group 51	C	100	Used

LIN LINE ITEM

Pos: 0970	Max: 1
Mandatory	
Group: 26	Elements: 6

User Option (Usage): Must use

Function: To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item number	C	an	1/6	Used
		Description: Serial number designating each separate item within a series of articles.				
LIN020	1229	Action request/notification, coded	C	an	1/3	Used
		Description: Code specifying the action to be taken or already taken.				
		All valid standard codes are used. (Total Codes: 25)				
LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
LIN030-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
LIN030-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number.				
		All valid standard codes are used. (Total Codes: 86)				
LIN030-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list.				
		All valid standard codes are used. (Total Codes: 123)				
LIN030-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list.				
		All valid standard codes are used. (Total Codes: 195)				
LIN040	C829	SUB-LINE INFORMATION	C	Comp		Used
		Description: To provide an indication that a segment or segment group is used to contain sub-line or sub-line item information and to optionally enable the sub-line to be identified.				
LIN040-010	5495	Sub-line indicator, coded	C	an	1/3	Used
		Description: Indication that the segment and/or segment group is used for sub-line item information.				
		All valid standard codes are used. (Total Codes: 1)				
LIN040-020	1082	Line item number	C	an	1/6	Used
		Description: Serial number designating each separate item within a series of articles.				
LIN050	1222	Configuration level	C	n	1/2	Used
		Description: Number indicating the level of an object which is in a hierarchy.				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN060	7083	Configuration, coded	C	an	1/3	Used

Description: Code indicating the status of the sub-line item in the configuration.

All valid standard codes are used. (Total Codes: 3)

PIA ADDITIONAL PRODUCT ID

Pos: 0980	Max: 25
Conditional	
Group: 26	Elements: 6

User Option (Usage): Used

Function: To specify additional or substitutional item identification codes.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA010	4347	Product id. function qualifier	M	an	1/3	Must use
		Description: Indication of the function of the product code. All valid standard codes are used. (Total Codes: 9)				
PIA020	C212	ITEM NUMBER IDENTIFICATION	M	Comp		Must use
		Description: Goods identification for a specified source.				
PIA020-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA020-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA020-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA020-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
PIA030-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA030-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA030-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA030-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA040	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Goods identification for a specified source.				
PIA040-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA040-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA040-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA040-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA050	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
PIA050-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA050-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA050-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA050-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA060	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
PIA060-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA060-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA060-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA060-040	3055	Code list responsible agency, coded	C	an	1/3	Used

Description: Code identifying the agency responsible for a code list.
All valid standard codes are used. (Total Codes: 195)

IMD ITEM DESCRIPTION

Pos: 0990	Max: 99
Conditional	
Group: 26	Elements: 4

User Option (Usage): Used

Function: To describe an item in either an industry or free format.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IMD010	7077	Item description type, coded	C	an	1/3	Used
		Description: Code indicating the format of a description. All valid standard codes are used. (Total Codes: 8)				
IMD020	7081	Item characteristic, coded	C	an	1/3	Used
		Description: Code specifying the item characteristic being described. All valid standard codes are used. (Total Codes: 156)				
IMD030	C273	ITEM DESCRIPTION	C	Comp		Used
		Description: Description of an item.				
IMD030-010	7009	Item description identification	C	an	1/17	Used
		Description: Code from an industry code list which provides specific data about a product characteristic.				
IMD030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
IMD030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
IMD030-040	7008	Item description	C	an	1/35	Used
		Description: Plain language description of articles or products.				
IMD030-050	7008	Item description	C	an	1/35	Used
		Description: Plain language description of articles or products.				
IMD030-060	3453	Language, coded	C	an	1/3	Used
		Description: Code of language (ISO 639-1988).				
IMD040	7383	Surface/layer indicator, coded	C	an	1/3	Used
		Description: Code indicating the surface or layer of a product that is being described. All valid standard codes are used. (Total Codes: 24)				

MEA MEASUREMENTS

Pos: 1000	Max: 99
Conditional	
Group: 26	Elements: 4

User Option (Usage): Used

Function: To specify physical measurements, including dimension tolerances, weights and counts.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement purpose qualifier	M	an	1/3	Must use
		Description: Specification of the purpose of the measurement. All valid standard codes are used. (Total Codes: 88)				
MEA020	C502	MEASUREMENT DETAILS	C	Comp		Used
		Description: Identification of measurement type.				
MEA020-010	6313	Property measured, coded	C	an	1/3	Used
		Description: Specification of the property measured. All valid standard codes are used. (Total Codes: 229)				
MEA020-020	6321	Measurement significance, coded	C	an	1/3	Used
		Description: Code specifying the significance of a measurement value. All valid standard codes are used. (Total Codes: 11)				
MEA020-030	6155	Measurement attribute identification	C	an	1/17	Used
		Description: Code used to specify non-discrete measurement values. All valid standard codes are used. (Total Codes: 42)				
MEA020-040	6154	Measurement attribute	C	an	1/70	Used
		Description: To specify non-discrete measurement values.				
MEA030	C174	VALUE/RANGE	C	Comp		Used
		Description: Measurement value and relevant minimum and maximum tolerances in that order.				
MEA030-010	6411	Measure unit qualifier	M	an	1/3	Must use
		Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.				
MEA030-020	6314	Measurement value	C	an	1/18	Used
		Description: Value of the measured unit.				
MEA030-030	6162	Range minimum	C	n	1/18	Used
		Description: Minimum of a range.				
MEA030-040	6152	Range maximum	C	n	1/18	Used
		Description: Maximum of a range.				
MEA030-050	6432	Significant digits	C	n	1/2	Used
		Description: To specify the number of significant digits.				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA040	7383	Surface/layer indicator, coded	C	an	1/3	Used

Description: Code indicating the surface or layer of a product that is being described.
All valid standard codes are used. (Total Codes: 24)

QTY QUANTITY

Pos: 1010	Max: 10
Conditional	
Group: 26	Elements: 1

User Option (Usage): Used

Function: To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
Description: Quantity information in a transaction, qualified when relevant.						
QTY010-010	6063	Quantity qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a quantity.						
All valid standard codes are used. (Total Codes: 199)						
QTY010-020	6060	Quantity	M	n	1/15	Must use
Description: Numeric value of a quantity.						
QTY010-030	6411	Measure unit qualifier	C	an	1/3	Used
Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.						

DTM DATE/TIME/PERIOD

Pos: 1040	Max: 35
Conditional	
Group: 26	Elements: 1

User Option (Usage): Used**Function:** To specify date, and/or time, or period.**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

MOA MONETARY AMOUNT

Pos: 1050	Max: 10
Conditional	
Group: 26	Elements: 1

User Option (Usage): Used

Function: To specify a monetary amount.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MOA010	C516	MONETARY AMOUNT	M	Comp		Must use
		Description: Amount of goods or services stated as a monetary amount in a specified currency.				
MOA010-010	5025	Monetary amount type qualifier	M	an	1/3	Must use
		Description: Indication of type of amount.				
		All valid standard codes are used. (Total Codes: 360)				
MOA010-020	5004	Monetary amount	C	n	1/18	Used
		Description: Number of monetary units.				
MOA010-030	6345	Currency, coded	C	an	1/3	Used
		Description: Identification of the name or symbol of the monetary unit involved in the transaction.				
MOA010-040	6343	Currency qualifier	C	an	1/3	Used
		Description: Code giving specific meaning to data element 6345 Currency.				
		All valid standard codes are used. (Total Codes: 17)				
MOA010-050	4405	Status, coded	C	an	1/3	Used
		Description: Provides information regarding a status.				
		All valid standard codes are used. (Total Codes: 25)				

FTX FREE TEXT

Pos: 1110	Max: 99
Conditional	
Group: 26	Elements: 5

User Option (Usage): Used**Function:** To provide free form or coded text information.**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	Text subject qualifier	M	an	1/3	Must use
		Description: Code specifying subject of a free text. All valid standard codes are used. (Total Codes: 189)				
FTX020	4453	Text function, coded	C	an	1/3	Used
		Description: Code specifying how to handle the text. All valid standard codes are used. (Total Codes: 4)				
FTX030	C107	TEXT REFERENCE	C	Comp		Used
		Description: Coded reference to a standard text and its source.				
FTX030-010	4441	Free text identification	M	an	1/17	Must use
		Description: Free text in coded form.				
FTX030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
FTX030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
FTX040	C108	TEXT LITERAL	C	Comp		Used
		Description: Free text; one to five lines.				
FTX040-010	4440	Free text	M	an	1/70	Must use
		Description: Free text field available to the message sender for information.				
FTX040-020	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-030	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-040	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-050	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX050	3453	Language, coded	C	an	1/3	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code of language (ISO 639-1988).				

Segment Group 31

Pos: 1300	Repeat: 999
Conditional	
Group: 31	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1310	RFF	REFERENCE	M	1	Must use

RFF REFERENCE

Pos: 1310	Max: 1
Mandatory	
Group: 31	Elements: 1

User Option (Usage): Must use
Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

Segment Group 32

Pos: 1330	Repeat: 10
Conditional	
Group: 32	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1340	PAC	PACKAGE	M	1	Must use
1380		Segment Group 33	C	1	Used
1410		Segment Group 34	C	5	Used

PAC PACKAGE

Pos: 1340	Max: 1
Mandatory	
Group: 32	Elements: 5

User Option (Usage): Must use

Function: To describe the number and type of packages/physical units.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAC010	7224	Number of packages	C	n	1/8	Used
		Description: Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.				
PAC020	C531	PACKAGING DETAILS	C	Comp		Used
		Description: Packaging level and details, terms and conditions.				
PAC020-010	7075	Packaging level, coded	C	an	1/3	Used
		Description: Indication of level of packaging specified. All valid standard codes are used. (Total Codes: 4)				
PAC020-020	7233	Packaging related information, coded	C	an	1/3	Used
		Description: Code giving packaging, handling and marking related information. All valid standard codes are used. (Total Codes: 38)				
PAC020-030	7073	Packaging terms and conditions, coded	C	an	1/3	Used
		Description: Code identifying packaging terms and conditions. All valid standard codes are used. (Total Codes: 23)				
PAC030	C202	PACKAGE TYPE	C	Comp		Used
		Description: Type of package by name or by code from a specified source.				
PAC030-010	7065	Type of packages identification	C	an	1/17	Used
		Description: Coded description of the form in which goods are presented.				
PAC030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PAC030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PAC030-040	7064	Type of packages	C	an	1/35	Used
		Description: Description of the form in which goods are presented.				
PAC040	C402	PACKAGE TYPE IDENTIFICATION	C	Comp		Used
		Description: Identification of the form in which goods are described.				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAC040-010	7077	Item description type, coded	M	an	1/3	Must use
		Description: Code indicating the format of a description. All valid standard codes are used. (Total Codes: 8)				
PAC040-020	7064	Type of packages	M	an	1/35	Must use
		Description: Description of the form in which goods are presented.				
PAC040-030	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PAC040-040	7064	Type of packages	C	an	1/35	Used
		Description: Description of the form in which goods are presented.				
PAC040-050	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PAC050	C532	RETURNABLE PACKAGE DETAILS	C	Comp		Used
		Description: Indication of responsibility for payment and load contents of returnable packages.				
PAC050-010	8395	Returnable package freight payment responsibility, coded	C	an	1/3	Used
		Description: To indicate responsibility for payment of return freight charges for packaging that is returnable. All valid standard codes are used. (Total Codes: 4)				
PAC050-020	8393	Returnable package load contents, coded	C	an	1/3	Used
		Description: To indicate the composition of goods loaded into a returnable package. All valid standard codes are used. (Total Codes: 10)				

Segment Group 33

Pos: 1380	Repeat: 1
Conditional	
Group: 33	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1390	RFF	REFERENCE	M	1	Must use
1400	DTM	DATE/TIME/PERIOD	C	5	Used

RFF REFERENCE

Pos: 1390	Max: 1
Mandatory	
Group: 33	Elements: 1

User Option (Usage): Must use

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

DTM DATE/TIME/PERIOD

Pos: 1400	Max: 5
Conditional	
Group: 33	Elements: 1

User Option (Usage): Used**Function:** To specify date, and/or time, or period.**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

Segment Group 34

Pos: 1410	Repeat: 5
Conditional	
Group: 34	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1420	PCI	PACKAGE IDENTIFICATION	M	1	Must use
1430	RFF	REFERENCE	C	1	Used
1440	DTM	DATE/TIME/PERIOD	C	5	Used
1450	GIN	GOODS IDENTITY NUMBER	C	10	Used

PCI PACKAGE IDENTIFICATION

Pos: 1420	Max: 1
Mandatory	
Group: 34	Elements: 4

User Option (Usage): Must use

Function: To specify markings and labels on individual packages or physical units.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PCI010	4233	Marking instructions, coded	C	an	1/3	Used
		Description: Code indicating instructions on how specified packages or physical units should be marked.				
		All valid standard codes are used. (Total Codes: 31)				
PCI020	C210	MARKS & LABELS	C	Comp		Used
		Description: Shipping marks on packages in free text; one to ten lines.				
PCI020-010	7102	Shipping marks	M	an	1/35	Must use
		Description: Marks and numbers identifying individual packages.				
PCI020-020	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-030	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-040	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-050	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-060	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-070	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-080	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-090	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI020-100	7102	Shipping marks	C	an	1/35	Used
		Description: Marks and numbers identifying individual packages.				
PCI030	8275	Container/package status, coded	C	an	1/3	Used
		Description: Code to identify whether goods of separate description or comprising separate consignments are contained in the same external packaging or to indicate that a container or similar unit load device is empty.				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		All valid standard codes are used. (Total Codes: 8)				
PCI040	C827	TYPE OF MARKING	C	Comp		Used
		Description: Specification of the type of marking that reflects the method that was used and the conventions adhered to for marking (e.g. of packages).				
PCI040-010	7511	Type of marking, coded	M	an	1/3	Must use
		Description: To specify the type of marking that reflects the method and the conventions adhered to for marking.				
PCI040-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list.				
		All valid standard codes are used. (Total Codes: 123)				
PCI040-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list.				
		All valid standard codes are used. (Total Codes: 195)				

RFF REFERENCE

Pos: 1430	Max: 1
Conditional	
Group: 34	Elements: 1

User Option (Usage): Used

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

DTM DATE/TIME/PERIOD

Pos: 1440	Max: 5
Conditional	
Group: 34	Elements: 1

User Option (Usage): Used

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

GIN GOODS IDENTITY NUMBER

Pos: 1450	Max: 10
Conditional	
Group: 34	Elements: 6

User Option (Usage): Used

Function: To give specific identification numbers, either as single numbers or ranges.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GIN010	7405	Identity number qualifier	M	an	1/3	Must use
		Description: Code specifying the type/source of identity number. All valid standard codes are used. (Total Codes: 55)				
GIN020	C208	IDENTITY NUMBER RANGE	M	Comp		Must use
		Description: Goods item identification numbers, start and end of consecutively numbered range.				
GIN020-010	7402	Identity number	M	an	1/35	Must use
		Description: The number given to an object for its unique identification.				
GIN020-020	7402	Identity number	C	an	1/35	Used
		Description: The number given to an object for its unique identification.				
GIN030	C208	IDENTITY NUMBER RANGE	C	Comp		Used
		Description: Goods item identification numbers, start and end of consecutively numbered range.				
GIN030-010	7402	Identity number	M	an	1/35	Must use
		Description: The number given to an object for its unique identification.				
GIN030-020	7402	Identity number	C	an	1/35	Used
		Description: The number given to an object for its unique identification.				
GIN040	C208	IDENTITY NUMBER RANGE	C	Comp		Used
		Description: Goods item identification numbers, start and end of consecutively numbered range.				
GIN040-010	7402	Identity number	M	an	1/35	Must use
		Description: The number given to an object for its unique identification.				
GIN040-020	7402	Identity number	C	an	1/35	Used
		Description: The number given to an object for its unique identification.				
GIN050	C208	IDENTITY NUMBER RANGE	C	Comp		Used
		Description: Goods item identification numbers, start and end of consecutively numbered range.				
GIN050-010	7402	Identity number	M	an	1/35	Must use
		Description: The number given to an object for its unique identification.				
GIN050-020	7402	Identity number	C	an	1/35	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: The number given to an object for its unique identification.				
GIN060	C208	IDENTITY NUMBER RANGE	C	Comp		Used
		Description: Goods item identification numbers, start and end of consecutively numbered range.				
GIN060-010	7402	Identity number	M	an	1/35	Must use
		Description: The number given to an object for its unique identification.				
GIN060-020	7402	Identity number	C	an	1/35	Used
		Description: The number given to an object for its unique identification.				

Segment Group 37

Pos: 1540	Repeat: 99
Conditional	
Group: 37	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1550	NAD	NAME AND ADDRESS	M	1	Must use
1560	LOC	PLACE/LOCATION IDENTIFICATION	C	5	Used
1570		Segment Group 38	C	5	Used

NAD NAME AND ADDRESS

Pos: 1550	Max: 1
Mandatory	
Group: 37	Elements: 9

User Option (Usage): Must use

Function: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a party. All valid standard codes are used. (Total Codes: 325)				
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
		Description: Identification of a transaction party by code.				
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
		Description: Code identifying a party involved in a transaction.				
NAD020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
NAD030	C058	NAME AND ADDRESS	C	Comp		Used
		Description: Unstructured name and address: one to five lines.				
NAD030-010	3124	Name and address line	M	an	1/35	Must use
		Description: Free form name and address description.				
NAD030-020	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-030	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-040	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-050	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD040	C080	PARTY NAME	C	Comp		Used
		Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.				
NAD040-010	3036	Party name	M	an	1/35	Must use

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Name of a party involved in a transaction.				
NAD040-020	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-030	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-040	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-050	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-060	3045	Party name format, coded	C	an	1/3	Used
		Description: Specification of the representation of a party name. All valid standard codes are used. (Total Codes: 1)				
NAD050	C059	STREET	C	Comp		Used
		Description: Street address and/or PO Box number in a structured address: one to three lines.				
NAD050-010	3042	Street and number/p.o. box	M	an	1/35	Must use
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-020	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-030	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-040	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD060	3164	City name	C	an	1/35	Used
		Description: Name of a city (a town, a village) for addressing purposes.				
NAD070	3229	Country sub-entity identification	C	an	1/9	Used
		Description: Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.				
NAD080	3251	Postcode identification	C	an	1/9	Used
		Description: Code defining postal zones or addresses.				
NAD090	3207	Country, coded	C	an	1/3	Used
		Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.				

LOC PLACE/LOCATION IDENTIFICATION

Pos: 1560	Max: 5
Conditional	
Group: 37	Elements: 5

User Option (Usage): Used

Function: To identify a country/place/location/related location one/related location two.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LOC010	3227	Place/location qualifier	M	an	1/3	Must use
		Description: Code identifying the function of a location. All valid standard codes are used. (Total Codes: 169)				
LOC020	C517	LOCATION IDENTIFICATION	C	Comp		Used
		Description: Identification of a location by code or name.				
LOC020-010	3225	Place/location identification	C	an	1/25	Used
		Description: Identification of the name of place/location, other than 3164 City name.				
LOC020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
LOC020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
LOC020-040	3224	Place/location	C	an	1/70	Used
		Description: Name of place/location, other than 3164 City name.				
LOC030	C519	RELATED LOCATION ONE IDENTIFICATION	C	Comp		Used
		Description: Identification the first related location by code or name.				
LOC030-010	3223	Related place/location one identification	C	an	1/25	Used
		Description: Specification of the first related place/location by code.				
LOC030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
LOC030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
LOC030-040	3222	Related place/location one	C	an	1/70	Used
		Description: Specification of the first related place/location by name.				
LOC040	C553	RELATED LOCATION TWO	C	Comp		Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		IDENTIFICATION				
		Description: Identification of second related location by code or name.				
LOC040-010	3233	Related place/location two identification	C	an	1/25	Used
		Description: Specification of a second related place/location by code.				
LOC040-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
LOC040-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
LOC040-040	3232	Related place/location two	C	an	1/70	Used
		Description: Specification of a second related place/location by name.				
LOC050	5479	Relation, coded	C	an	1/3	Used
		Description: To specify the relationship between two or more items.				

Segment Group 38

Pos: 1570	Repeat: 5
Conditional	
Group: 38	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1580	RFF	REFERENCE	M	1	Must use

RFF REFERENCE

Pos: 1580	Max: 1
Mandatory	
Group: 38	Elements: 1

User Option (Usage): Must use

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

Segment Group 51

Pos: 1980	Repeat: 100
Conditional	
Group: 51	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1990	SCC	SCHEDULING CONDITIONS	M	1	Must use
2000	FTX	FREE TEXT	C	5	Used
2010	RFF	REFERENCE	C	5	Used
2020		Segment Group 52	C	10	Used

SCC SCHEDULING CONDITIONS

Pos: 1990	Max: 1
Mandatory	
Group: 51	Elements: 3

User Option (Usage): Must use

Function: To specify scheduling conditions.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SCC010	4017	Delivery plan status indicator, coded	M	an	1/3	Must use
<p>Description: Code indicating the level of commitment of schedule information. All valid standard codes are used. (Total Codes: 23)</p>						
SCC020	4493	Delivery requirements, coded	C	an	1/3	Used
<p>Description: Indication of general instruction for delivery. All valid standard codes are used. (Total Codes: 12)</p>						
SCC030	C329	PATTERN DESCRIPTION	C	Comp		Used
<p>Description: Shipment, delivery or production interval pattern and timing.</p>						
SCC030-010	2013	Frequency, coded	C	an	1/3	Used
<p>Description: Code specifying interval grouping of the delivery, production, etc. of the schedule. All valid standard codes are used. (Total Codes: 14)</p>						
SCC030-020	2015	Despatch pattern, coded	C	an	1/3	Used
<p>Description: Code specifying the days/periods for routine shipments or deliveries. All valid standard codes are used. (Total Codes: 48)</p>						
SCC030-030	2017	Despatch pattern timing, coded	C	an	1/3	Used
<p>Description: Code specifying the detailed times for routine shipments or deliveries within data element 2015 Despatch pattern, coded. All valid standard codes are used. (Total Codes: 10)</p>						

FTX FREE TEXT

Pos: 2000	Max: 5
Conditional	
Group: 51	Elements: 5

User Option (Usage): Used**Function:** To provide free form or coded text information.**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	Text subject qualifier	M	an	1/3	Must use
		Description: Code specifying subject of a free text. All valid standard codes are used. (Total Codes: 189)				
FTX020	4453	Text function, coded	C	an	1/3	Used
		Description: Code specifying how to handle the text. All valid standard codes are used. (Total Codes: 4)				
FTX030	C107	TEXT REFERENCE	C	Comp		Used
		Description: Coded reference to a standard text and its source.				
FTX030-010	4441	Free text identification	M	an	1/17	Must use
		Description: Free text in coded form.				
FTX030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
FTX030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
FTX040	C108	TEXT LITERAL	C	Comp		Used
		Description: Free text; one to five lines.				
FTX040-010	4440	Free text	M	an	1/70	Must use
		Description: Free text field available to the message sender for information.				
FTX040-020	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-030	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-040	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-050	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX050	3453	Language, coded	C	an	1/3	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code of language (ISO 639-1988).				

RFF REFERENCE

Pos: 2010	Max: 5
Conditional	
Group: 51	Elements: 1

User Option (Usage): Used

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

Segment Group 52

Pos: 2020	Repeat: 10
Conditional	
Group: 52	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
2030	QTY	QUANTITY	M	1	Must use
2040	DTM	DATE/TIME/PERIOD	C	5	Used

QTY QUANTITY

Pos: 2030	Max: 1
Mandatory	
Group: 52	Elements: 1

User Option (Usage): Must use

Function: To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
		Description: Quantity information in a transaction, qualified when relevant.				
QTY010-010	6063	Quantity qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a quantity. All valid standard codes are used. (Total Codes: 199)				
QTY010-020	6060	Quantity	M	n	1/15	Must use
		Description: Numeric value of a quantity.				
QTY010-030	6411	Measure unit qualifier	C	an	1/3	Used
		Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.				

DTM DATE/TIME/PERIOD

Pos: 2040	Max: 5
Conditional	
Group: 52	Elements: 1

User Option (Usage): Used

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

UNS SECTION CONTROL

Pos: 2150	Max: 1
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Function: To separate header, detail, and summary sections of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNS010	0081	Section identification	M	a	1/1	Must use

Description: A character identifying the next section in a message.

All valid standard codes are used. (Total Codes: 2)

UNT MESSAGE TRAILER

Pos: 2220	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Function: To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	Number of segments in a message	M	n	1/6	Must use
		Description: Control count of number of segments in a message.				
UNT020	0062	Message reference number	M	an	1/14	Must use
		Description: Unique message reference assigned by the sender.				