

Table of Contents

ORDRSP	Purchase order response message	1
UNH	MESSAGE HEADER.....	3
BGM	BEGINNING OF MESSAGE.....	5
DTM	DATE/TIME/PERIOD.....	6
Group 1	Segment Group 1.....	7
RFF	REFERENCE.....	8
DTM	DATE/TIME/PERIOD.....	9
Group 3	Segment Group 3.....	10
NAD	NAME AND ADDRESS.....	11
Group 8	Segment Group 8.....	13
CUX	CURRENCIES.....	14
Group 9	Segment Group 9.....	16
PAT	PAYMENT TERMS BASIS.....	17
Group 12	Segment Group 12.....	19
TOD	TERMS OF DELIVERY OR TRANSPORT.....	20
Group 26	Segment Group 26.....	21
LIN	LINE ITEM.....	22
PIA	ADDITIONAL PRODUCT ID.....	24
QTY	QUANTITY.....	27
DTM	DATE/TIME/PERIOD.....	28
Group 30	Segment Group 30.....	29
PRI	PRICE DETAILS.....	30
Group 31	Segment Group 31.....	31
RFF	REFERENCE.....	32
Group 37	Segment Group 37.....	33
NAD	NAME AND ADDRESS.....	34
Group 40	Segment Group 40.....	36
CTA	CONTACT INFORMATION.....	37
Group 49	Segment Group 49.....	38
TOD	TERMS OF DELIVERY OR TRANSPORT.....	39
Group 51	Segment Group 51.....	40
SCC	SCHEDULING CONDITIONS.....	41
FTX	FREE TEXT.....	42
RFF	REFERENCE.....	44
Group 52	Segment Group 52.....	45
QTY	QUANTITY.....	46
DTM	DATE/TIME/PERIOD.....	47
UNS	SECTION CONTROL.....	48
UNT	MESSAGE TRAILER.....	49

ORDRSP Purchase order response message

Message Status=**2**

Definition: A message from the seller to the buyer, responding to a purchase order message or a purchase order change request message.

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N1/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N1/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	35	N1/0030	Must use
0080		Segment Group 1	C	99	N1/0080	Used
0090	RFF	REFERENCE	M	1	N1/0090	Must use
0100	DTM	DATE/TIME/PERIOD	C	5	N1/0100	Used
0140		Segment Group 3	C	99	N1/0140	Used
0150	NAD	NAME AND ADDRESS	M	1	N1/0150	Must use
0310		Segment Group 8	C	5	N1/0310	Used
0320	CUX	CURRENCIES	M	1	N1/0320	Must use
0350		Segment Group 9	C	10	N1/0350	Used
0360	PAT	PAYMENT TERMS BASIS	M	1	N1/0360	Must use
0450		Segment Group 12	C	5	N1/0450	Used
0460	TOD	TERMS OF DELIVERY OR TRANSPORT	M	1	N1/0460	Must use

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0960		Segment Group 26	C	200000	N2/0960	Used
0970	LIN	LINE ITEM	M	1	N2/0970	Must use
0980	PIA	ADDITIONAL PRODUCT ID	C	25	N2/0980	Used
1010	QTY	QUANTITY	C	10	N2/1010	Used
1040	DTM	DATE/TIME/PERIOD	C	35	N2/1040	Used
1240		Segment Group 30	C	25	N2/1240	Used
1250	PRI	PRICE DETAILS	M	1	N2/1250	Must use
1300		Segment Group 31	C	999	N2/1300	Used
1310	RFF	REFERENCE	M	1	N2/1310	Must use
1550		Segment Group 37	C	99	N2/1550	Used
1560	NAD	NAME AND ADDRESS	M	1	N2/1560	Must use
1640		Segment Group 40	C	5	N2/1640	Used
1650	CTA	CONTACT INFORMATION	M	1	N2/1650	Must use
1910		Segment Group 49	C	5	N2/1910	Used
1920	TOD	TERMS OF DELIVERY OR TRANSPORT	M	1	N2/1920	Must use

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
1990		Segment Group 51	C	100	N2/1990	Used
2000	SCC	SCHEDULING CONDITIONS	M	1	N2/2000	Must use
2010	FTX	FREE TEXT	C	5	N2/2010	Used
2020	RFF	REFERENCE	C	5	N2/2020	Used
2030		Segment Group 52	C	10	N2/2030	Used
2040	QTY	QUANTITY	M	1	N2/2040	Must use
2050	DTM	DATE/TIME/PERIOD	C	5	N2/2050	Used

Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
2160	UNS	SECTION CONTROL	M	1	N3/2160	Must use
2230	UNT	MESSAGE TRAILER	M	1	N3/2230	Must use

UNH MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 4

User Option (Usage): Must use

Function: To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNH010	0062	Message reference number	M	an	1/14	Must use
		Description: Unique message reference assigned by the sender.				
UNH020	S009	MESSAGE IDENTIFIER	M	Comp		Must use
		Description: Identification of the type, version etc. of the message being interchanged.				
UNH020-010	0065	Message type identifier	M	an	1/6	Must use
		Description: Code identifying a type of message and assigned by its controlling agency.				
		All valid standard codes are used. (Total Codes: 145)				
UNH020-020	0052	Message type version number	M	an	1/3	Must use
		Description: Version number of a message type.				
		All valid standard codes are used. (Total Codes: 7)				
UNH020-030	0054	Message type release number	M	an	1/3	Must use
		Description: Release number within the current message type version number (0052).				
		All valid standard codes are used. (Total Codes: 15)				
UNH020-040	0051	Controlling agency	M	an	1/2	Must use
		Description: Code identifying the agency controlling the specification, maintenance and publication of the message type.				
		All valid standard codes are used. (Total Codes: 20)				
UNH020-050	0057	Association assigned code	C	an	1/6	Used
		Description: Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.				
UNH030	0068	Common access reference	C	an	1/35	Used
		Description: Reference serving as a key to relate all subsequent transfers of data to the same business case or file.				
UNH040	S010	STATUS OF THE TRANSFER	C	Comp		Used
		Description: Statement that the message is one in a sequence of transfers relating to the same topic.				
UNH040-010	0070	Sequence message transfer number	M	n	1/2	Must use
		Description: Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.				
UNH040-020	0073	First/last sequence message transfer indication	C	a	1/1	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	------------	---------------------	---------------	-------------	----------------	--------------

Description: Indication used for the first and last message in a sequence of the same type of message relating to the same topic.

All valid standard codes are used. (Total Codes: 2)

BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 4

User Option (Usage): Must use

Function: To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME	C	Comp		Used
		Description: Identification of a type of document/message by code or name. Code preferred.				
BGM010-010	1001	Document/message name, coded	C	an	1/3	Used
		Description: Document/message identifier expressed in code. All valid standard codes are used. (Total Codes: 424)				
BGM010-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
BGM010-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
BGM010-040	1000	Document/message name	C	an	1/35	Used
		Description: Plain language identifier specifying the function of a document/message.				
BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION	C	Comp		Used
		Description: Identification of a document/message by its number and eventually its version or revision.				
BGM020-010	1004	Document/message number	C	an	1/35	Used
		Description: Reference number assigned to the document/message by the issuer.				
BGM020-020	1056	Version	C	an	1/9	Used
		Description: To specify the version number or name of an object.				
BGM020-030	1060	Revision number	C	an	1/6	Used
		Description: To specify a revision number.				
BGM030	1225	Message function, coded	C	an	1/3	Used
		Description: Code indicating the function of the message. All valid standard codes are used. (Total Codes: 55)				
BGM040	4343	Response type, coded	C	an	1/3	Used
		Description: Code specifying the type of acknowledgment required or transmitted. All valid standard codes are used. (Total Codes: 13)				

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 35
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

Segment Group 1

Pos: 0080	Repeat: 99
Conditional	
Group: 1	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0090	RFF	REFERENCE	M	1	Must use
0100	DTM	DATE/TIME/PERIOD	C	5	Used

RFF REFERENCE

Pos: 0090	Max: 1
Mandatory	
Group: 1	Elements: 1

User Option (Usage): Must use
Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

DTM DATE/TIME/PERIOD

Pos: 0100	Max: 5
Conditional	
Group: 1	Elements: 1

User Option (Usage): Used

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

Segment Group 3

Pos: 0140	Repeat: 99
Conditional	
Group: 3	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0150	NAD	NAME AND ADDRESS	M	1	Must use

NAD NAME AND ADDRESS

Pos: 0150	Max: 1
Mandatory	
Group: 3	Elements: 9

User Option (Usage): Must use

Function: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a party. All valid standard codes are used. (Total Codes: 325)				
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
		Description: Identification of a transaction party by code.				
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
		Description: Code identifying a party involved in a transaction.				
NAD020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
NAD030	C058	NAME AND ADDRESS	C	Comp		Used
		Description: Unstructured name and address: one to five lines.				
NAD030-010	3124	Name and address line	M	an	1/35	Must use
		Description: Free form name and address description.				
NAD030-020	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-030	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-040	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-050	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD040	C080	PARTY NAME	C	Comp		Used
		Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.				
NAD040-010	3036	Party name	M	an	1/35	Must use

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Name of a party involved in a transaction.				
NAD040-020	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-030	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-040	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-050	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-060	3045	Party name format, coded	C	an	1/3	Used
		Description: Specification of the representation of a party name. All valid standard codes are used. (Total Codes: 1)				
NAD050	C059	STREET	C	Comp		Used
		Description: Street address and/or PO Box number in a structured address: one to three lines.				
NAD050-010	3042	Street and number/p.o. box	M	an	1/35	Must use
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-020	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-030	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-040	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD060	3164	City name	C	an	1/35	Used
		Description: Name of a city (a town, a village) for addressing purposes.				
NAD070	3229	Country sub-entity identification	C	an	1/9	Used
		Description: Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.				
NAD080	3251	Postcode identification	C	an	1/9	Used
		Description: Code defining postal zones or addresses.				
NAD090	3207	Country, coded	C	an	1/3	Used
		Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.				

Segment Group 8

Pos: 0310	Repeat: 5
Conditional	
Group: 8	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0320	CUX	CURRENCIES	M	1	Must use

CUX CURRENCIES

Pos: 0320	Max: 1
Mandatory	
Group: 8	Elements: 4

User Option (Usage): Must use

Function: To specify currencies used in the transaction and relevant details for the rate of exchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUX010	C504	CURRENCY DETAILS	C	Comp		Used
		Description: The usage to which a currency relates.				
CUX010-010	6347	Currency details qualifier	M	an	1/3	Must use
		Description: Specification of the usage to which the currency relates.				
		All valid standard codes are used. (Total Codes: 7)				
CUX010-020	6345	Currency, coded	C	an	1/3	Used
		Description: Identification of the name or symbol of the monetary unit involved in the transaction.				
CUX010-030	6343	Currency qualifier	C	an	1/3	Used
		Description: Code giving specific meaning to data element 6345 Currency.				
		All valid standard codes are used. (Total Codes: 17)				
CUX010-040	6348	Currency rate base	C	n	1/4	Used
		Description: Multiplying factor used in expressing the number of currency units.				
CUX020	C504	CURRENCY DETAILS	C	Comp		Used
		Description: The usage to which a currency relates.				
CUX020-010	6347	Currency details qualifier	M	an	1/3	Must use
		Description: Specification of the usage to which the currency relates.				
		All valid standard codes are used. (Total Codes: 7)				
CUX020-020	6345	Currency, coded	C	an	1/3	Used
		Description: Identification of the name or symbol of the monetary unit involved in the transaction.				
CUX020-030	6343	Currency qualifier	C	an	1/3	Used
		Description: Code giving specific meaning to data element 6345 Currency.				
		All valid standard codes are used. (Total Codes: 17)				
CUX020-040	6348	Currency rate base	C	n	1/4	Used
		Description: Multiplying factor used in expressing the number of currency units.				
CUX030	5402	Rate of exchange	C	n	1/12	Used
		Description: The rate at which one specified currency is expressed in another specified currency.				
CUX040	6341	Currency market exchange, coded	C	an	1/3	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code identifying the market upon which the currency exchange rate is based.				
		All valid standard codes are used. (Total Codes: 23)				

Segment Group 9

Pos: 0350	Repeat: 10
Conditional	
Group: 9	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0360	PAT	PAYMENT TERMS BASIS	M	1	Must use

PAT PAYMENT TERMS BASIS

Pos: 0360	Max: 1
Mandatory	
Group: 9	Elements: 3

User Option (Usage): Must use

Function: To specify the payment terms basis.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAT010	4279	Payment terms type qualifier	M	an	1/3	Must use
		Description: Identification of the type of payment terms. All valid standard codes are used. (Total Codes: 35)				
PAT020	C110	PAYMENT TERMS	C	Comp		Used
		Description: Terms of payment code from a specified source.				
PAT020-010	4277	Terms of payment identification	M	an	1/17	Must use
		Description: Identification of the terms of payment between the parties to a transaction (generic term). All valid standard codes are used. (Total Codes: 6)				
PAT020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PAT020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PAT020-040	4276	Terms of payment	C	an	1/35	Used
		Description: Conditions of payment between the parties to a transaction (generic term).				
PAT020-050	4276	Terms of payment	C	an	1/35	Used
		Description: Conditions of payment between the parties to a transaction (generic term).				
PAT030	C112	TERMS/TIME INFORMATION	C	Comp		Used
		Description: Time details in payment terms.				
PAT030-010	2475	Payment time reference, coded	M	an	1/3	Must use
		Description: Code relating payment terms to the date of a specific event. All valid standard codes are used. (Total Codes: 62)				
PAT030-020	2009	Time relation, coded	C	an	1/3	Used
		Description: Code relating payment terms to a time before, on or after the reference date. All valid standard codes are used. (Total Codes: 12)				
PAT030-030	2151	Type of period, coded	C	an	1/3	Used
		Description: Agreed or specified period of time (coded).				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
All valid standard codes are used. (Total Codes: 23)						
PAT030-040	2152	Number of periods	C	n	1/3	Used
Description: Number of periods of the type indicated in data element 2151 Type of period, coded.						

Segment Group 12

Pos: 0450	Repeat: 5
Conditional	
Group: 12	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0460	TOD	TERMS OF DELIVERY OR TRANSPORT	M	1	Must use

TOD TERMS OF DELIVERY OR TRANSPORT

Pos: 0460	Max: 1
Mandatory	
Group: 12	Elements: 3

User Option (Usage): Must use

Function: To specify terms of delivery or transport.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TOD010	4055	Terms of delivery or transport function, coded	C	an	1/3	Used
		<p>Description: Indication whether the terms relate to e.g. price conditions, delivery conditions, transport conditions, or a combination of these. All valid standard codes are used. (Total Codes: 6)</p>				
TOD020	4215	Transport charges method of payment, coded	C	an	1/3	Used
		<p>Description: Identification of method of payment for transport charges. All valid standard codes are used. (Total Codes: 23)</p>				
TOD030	C100	TERMS OF DELIVERY OR TRANSPORT	C	Comp		Used
		<p>Description: Terms of delivery or transport code from a specified source.</p>				
TOD030-010	4053	Terms of delivery or transport, coded	C	an	1/3	Used
		<p>Description: Identification of the terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided.</p>				
TOD030-020	1131	Code list qualifier	C	an	1/3	Used
		<p>Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)</p>				
TOD030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		<p>Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)</p>				
TOD030-040	4052	Terms of delivery or transport	C	an	1/70	Used
		<p>Description: Terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided.</p>				
TOD030-050	4052	Terms of delivery or transport	C	an	1/70	Used
		<p>Description: Terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided.</p>				

Segment Group 26

Pos: 0960	Repeat:
	200000
Conditional	
Group: 26	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0970	LIN	LINE ITEM	M	1	Must use
0980	PIA	ADDITIONAL PRODUCT ID	C	25	Used
1010	QTY	QUANTITY	C	10	Used
1040	DTM	DATE/TIME/PERIOD	C	35	Used
1240		Segment Group 30	C	25	Used
1300		Segment Group 31	C	999	Used
1550		Segment Group 37	C	99	Used
1910		Segment Group 49	C	5	Used
1990		Segment Group 51	C	100	Used

LIN LINE ITEM

Pos: 0970	Max: 1
Mandatory	
Group: 26	Elements: 6

User Option (Usage): Must use

Function: To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item number	C	an	1/6	Used
		Description: Serial number designating each separate item within a series of articles.				
LIN020	1229	Action request/notification, coded	C	an	1/3	Used
		Description: Code specifying the action to be taken or already taken. All valid standard codes are used. (Total Codes: 25)				
LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
LIN030-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
LIN030-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
LIN030-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
LIN030-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
LIN040	C829	SUB-LINE INFORMATION	C	Comp		Used
		Description: To provide an indication that a segment or segment group is used to contain sub-line or sub-line item information and to optionally enable the sub-line to be identified.				
LIN040-010	5495	Sub-line indicator, coded	C	an	1/3	Used
		Description: Indication that the segment and/or segment group is used for sub-line item information. All valid standard codes are used. (Total Codes: 1)				
LIN040-020	1082	Line item number	C	an	1/6	Used
		Description: Serial number designating each separate item within a series of articles.				
LIN050	1222	Configuration level	C	n	1/2	Used
		Description: Number indicating the level of an object which is in a hierarchy.				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN060	7083	Configuration, coded	C	an	1/3	Used

Description: Code indicating the status of the sub-line item in the configuration.

All valid standard codes are used. (Total Codes: 3)

PIA ADDITIONAL PRODUCT ID

Pos: 0980	Max: 25
Conditional	
Group: 26	Elements: 6

User Option (Usage): Used**Function:** To specify additional or substitutional item identification codes.**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA010	4347	Product id. function qualifier	M	an	1/3	Must use
		Description: Indication of the function of the product code. All valid standard codes are used. (Total Codes: 9)				
PIA020	C212	ITEM NUMBER IDENTIFICATION	M	Comp		Must use
		Description: Goods identification for a specified source.				
PIA020-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA020-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA020-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA020-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
PIA030-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA030-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA030-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA030-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA040	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Goods identification for a specified source.				
PIA040-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA040-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA040-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA040-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA050	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
PIA050-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA050-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA050-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
PIA050-040	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
PIA060	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
PIA060-010	7140	Item number	C	an	1/35	Used
		Description: A number allocated to a group or item.				
PIA060-020	7143	Item number type, coded	C	an	1/3	Used
		Description: Identification of the type of item number. All valid standard codes are used. (Total Codes: 86)				
PIA060-030	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA060-040	3055	Code list responsible agency, coded	C	an	1/3	Used

Description: Code identifying the agency responsible for a code list.

All valid standard codes are used. (Total Codes: 195)

QTY QUANTITY

Pos: 1010	Max: 10
Conditional	
Group: 26	Elements: 1

User Option (Usage): Used

Function: To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
Description: Quantity information in a transaction, qualified when relevant.						
QTY010-010	6063	Quantity qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a quantity.						
All valid standard codes are used. (Total Codes: 199)						
QTY010-020	6060	Quantity	M	n	1/15	Must use
Description: Numeric value of a quantity.						
QTY010-030	6411	Measure unit qualifier	C	an	1/3	Used
Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.						

DTM DATE/TIME/PERIOD

Pos: 1040	Max: 35
Conditional	
Group: 26	Elements: 1

User Option (Usage): Used

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

Segment Group 30

Pos: 1240	Repeat: 25
Conditional	
Group: 30	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1250	PRI	PRICE DETAILS	M	1	Must use

PRI PRICE DETAILS

Pos: 1250	Max: 1
Mandatory	
Group: 30	Elements: 2

User Option (Usage): Must use

Function: To specify price information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRI010	C509	PRICE INFORMATION	C	Comp		Used
		Description: Identification of price type, price and related details.				
PRI010-010	5125	Price qualifier	M	an	1/3	Must use
		Description: Identification of a type of price.				
		All valid standard codes are used. (Total Codes: 10)				
PRI010-020	5118	Price	C	n	1/15	Used
		Description: The monetary value associated with a purchase or sale of an article, product or service.				
PRI010-030	5375	Price type, coded	C	an	1/3	Used
		Description: Code identifying the type of price of an item.				
		All valid standard codes are used. (Total Codes: 27)				
PRI010-040	5387	Price type qualifier	C	an	1/3	Used
		Description: Code identifying pricing specification.				
		All valid standard codes are used. (Total Codes: 89)				
PRI010-050	5284	Unit price basis	C	n	1/9	Used
		Description: Basis on which the unit price/rate applies.				
PRI010-060	6411	Measure unit qualifier	C	an	1/3	Used
		Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.				
PRI020	5213	Sub-line price change, coded	C	an	1/3	Used
		Description: Code indicating disposition of the price change of a sub-line item.				
		All valid standard codes are used. (Total Codes: 3)				

Segment Group 31

Pos: 1300	Repeat: 999
Conditional	
Group: 31	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1310	RFF	REFERENCE	M	1	Must use

RFF REFERENCE

Pos: 1310	Max: 1
Mandatory	
Group: 31	Elements: 1

User Option (Usage): Must use
Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

Segment Group 37

Pos: 1550	Repeat: 99
Conditional	
Group: 37	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1560	NAD	NAME AND ADDRESS	M	1	Must use
1640		Segment Group 40	C	5	Used

NAD NAME AND ADDRESS

Pos: 1560	Max: 1
Mandatory	
Group: 37	Elements: 9

User Option (Usage): Must use

Function: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a party. All valid standard codes are used. (Total Codes: 325)				
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
		Description: Identification of a transaction party by code.				
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
		Description: Code identifying a party involved in a transaction.				
NAD020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
NAD030	C058	NAME AND ADDRESS	C	Comp		Used
		Description: Unstructured name and address: one to five lines.				
NAD030-010	3124	Name and address line	M	an	1/35	Must use
		Description: Free form name and address description.				
NAD030-020	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-030	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-040	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD030-050	3124	Name and address line	C	an	1/35	Used
		Description: Free form name and address description.				
NAD040	C080	PARTY NAME	C	Comp		Used
		Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.				
NAD040-010	3036	Party name	M	an	1/35	Must use

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Name of a party involved in a transaction.				
NAD040-020	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-030	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-040	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-050	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-060	3045	Party name format, coded	C	an	1/3	Used
		Description: Specification of the representation of a party name. All valid standard codes are used. (Total Codes: 1)				
NAD050	C059	STREET	C	Comp		Used
		Description: Street address and/or PO Box number in a structured address: one to three lines.				
NAD050-010	3042	Street and number/p.o. box	M	an	1/35	Must use
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-020	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-030	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-040	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD060	3164	City name	C	an	1/35	Used
		Description: Name of a city (a town, a village) for addressing purposes.				
NAD070	3229	Country sub-entity identification	C	an	1/9	Used
		Description: Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.				
NAD080	3251	Postcode identification	C	an	1/9	Used
		Description: Code defining postal zones or addresses.				
NAD090	3207	Country, coded	C	an	1/3	Used
		Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.				

Segment Group 40

Pos: 1640	Repeat: 5
Conditional	
Group: 40	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1650	CTA	CONTACT INFORMATION	M	1	Must use

CTA CONTACT INFORMATION

Pos: 1650	Max: 1
Mandatory	
Group: 40	Elements: 2

User Option (Usage): Must use

Function: To identify a person or a department to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTA010	3139	Contact function, coded	C	an	1/3	Used
		Description: Code specifying the function of a contact (e.g. department or person). All valid standard codes are used. (Total Codes: 85)				
CTA020	C056	DEPARTMENT OR EMPLOYEE DETAILS	C	Comp		Used
		Description: Code and/or name of a department or employee. Code preferred.				
CTA020-010	3413	Department or employee identification	C	an	1/17	Used
		Description: Internal identification code.				
CTA020-020	3412	Department or employee	C	an	1/35	Used
		Description: The department or person within an organizational entity.				

Segment Group 49

Pos: 1910	Repeat: 5
Conditional	
Group: 49	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1920	TOD	TERMS OF DELIVERY OR TRANSPORT	M	1	Must use

TOD TERMS OF DELIVERY OR TRANSPORT

Pos: 1920	Max: 1
Mandatory	
Group: 49	Elements: 3

User Option (Usage): Must use

Function: To specify terms of delivery or transport.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TOD010	4055	Terms of delivery or transport function, coded	C	an	1/3	Used
		Description: Indication whether the terms relate to e.g. price conditions, delivery conditions, transport conditions, or a combination of these. All valid standard codes are used. (Total Codes: 6)				
TOD020	4215	Transport charges method of payment, coded	C	an	1/3	Used
		Description: Identification of method of payment for transport charges. All valid standard codes are used. (Total Codes: 23)				
TOD030	C100	TERMS OF DELIVERY OR TRANSPORT	C	Comp		Used
		Description: Terms of delivery or transport code from a specified source.				
TOD030-010	4053	Terms of delivery or transport, coded	C	an	1/3	Used
		Description: Identification of the terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided.				
TOD030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
TOD030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
TOD030-040	4052	Terms of delivery or transport	C	an	1/70	Used
		Description: Terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided.				
TOD030-050	4052	Terms of delivery or transport	C	an	1/70	Used
		Description: Terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided.				

Segment Group 51

Pos: 1990	Repeat: 100
Conditional	
Group: 51	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
2000	SCC	SCHEDULING CONDITIONS	M	1	Must use
2010	FTX	FREE TEXT	C	5	Used
2020	RFF	REFERENCE	C	5	Used
2030		Segment Group 52	C	10	Used

SCC SCHEDULING CONDITIONS

Pos: 2000	Max: 1
Mandatory	
Group: 51	Elements: 3

User Option (Usage): Must use

Function: To specify scheduling conditions.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SCC010	4017	Delivery plan status indicator, coded	M	an	1/3	Must use
<p>Description: Code indicating the level of commitment of schedule information. All valid standard codes are used. (Total Codes: 23)</p>						
SCC020	4493	Delivery requirements, coded	C	an	1/3	Used
<p>Description: Indication of general instruction for delivery. All valid standard codes are used. (Total Codes: 12)</p>						
SCC030	C329	PATTERN DESCRIPTION	C	Comp		Used
<p>Description: Shipment, delivery or production interval pattern and timing.</p>						
SCC030-010	2013	Frequency, coded	C	an	1/3	Used
<p>Description: Code specifying interval grouping of the delivery, production, etc. of the schedule. All valid standard codes are used. (Total Codes: 14)</p>						
SCC030-020	2015	Despatch pattern, coded	C	an	1/3	Used
<p>Description: Code specifying the days/periods for routine shipments or deliveries. All valid standard codes are used. (Total Codes: 48)</p>						
SCC030-030	2017	Despatch pattern timing, coded	C	an	1/3	Used
<p>Description: Code specifying the detailed times for routine shipments or deliveries within data element 2015 Despatch pattern, coded. All valid standard codes are used. (Total Codes: 10)</p>						

FTX FREE TEXT

Pos: 2010	Max: 5
Conditional	
Group: 51	Elements: 5

User Option (Usage): Used

Function: To provide free form or coded text information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	Text subject qualifier	M	an	1/3	Must use
		Description: Code specifying subject of a free text. All valid standard codes are used. (Total Codes: 189)				
FTX020	4453	Text function, coded	C	an	1/3	Used
		Description: Code specifying how to handle the text. All valid standard codes are used. (Total Codes: 4)				
FTX030	C107	TEXT REFERENCE	C	Comp		Used
		Description: Coded reference to a standard text and its source.				
FTX030-010	4441	Free text identification	M	an	1/17	Must use
		Description: Free text in coded form.				
FTX030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used. (Total Codes: 123)				
FTX030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used. (Total Codes: 195)				
FTX040	C108	TEXT LITERAL	C	Comp		Used
		Description: Free text; one to five lines.				
FTX040-010	4440	Free text	M	an	1/70	Must use
		Description: Free text field available to the message sender for information.				
FTX040-020	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-030	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-040	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-050	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX050	3453	Language, coded	C	an	1/3	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code of language (ISO 639-1988).				

RFF REFERENCE

Pos: 2020	Max: 5
Conditional	
Group: 51	Elements: 1

User Option (Usage): Used

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used. (Total Codes: 504)						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

Segment Group 52

Pos: 2030	Repeat: 10
Conditional	
Group: 52	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
2040	QTY	QUANTITY	M	1	Must use
2050	DTM	DATE/TIME/PERIOD	C	5	Used

QTY QUANTITY

Pos: 2040	Max: 1
Mandatory	
Group: 52	Elements: 1

User Option (Usage): Must use

Function: To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
		Description: Quantity information in a transaction, qualified when relevant.				
QTY010-010	6063	Quantity qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a quantity. All valid standard codes are used. (Total Codes: 199)				
QTY010-020	6060	Quantity	M	n	1/15	Must use
		Description: Numeric value of a quantity.				
QTY010-030	6411	Measure unit qualifier	C	an	1/3	Used
		Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.				

DTM DATE/TIME/PERIOD

Pos: 2050	Max: 5
Conditional	
Group: 52	Elements: 1

User Option (Usage): Used

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used. (Total Codes: 364)						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used. (Total Codes: 70)						

UNS SECTION CONTROL

Pos: 2160	Max: 1
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Function: To separate header, detail, and summary sections of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNS010	0081	Section identification	M	a	1/1	Must use

Description: A character identifying the next section in a message.

All valid standard codes are used. (Total Codes: 2)

UNT MESSAGE TRAILER

Pos: 2230	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Function: To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	Number of segments in a message	M	n	1/6	Must use
		Description: Control count of number of segments in a message.				
UNT020	0062	Message reference number	M	an	1/14	Must use
		Description: Unique message reference assigned by the sender.				