

Oshkosh 855 Purchase Order Acknowledgment

AIAG X12/V4010/855: 855 Purchase Order Acknowledgment

Version: 1.0 Final

Company:	Oshkosh Corporation
Publication:	11/13/2015
Notes:	Please Note: The EDI 855 with AT at the header level may be sent for all Oshkosh Segments. The EDI 855 at the line level using AC and RO may only be used for Oshkosh Defense, Defense After market and JLG and

**MUST be used in
conjunction with the EDI
865 Purchase Order
Change Acknowledgment**

Table of Contents

855	Purchase Order Acknowledgment	1
ST	Transaction Set Header	2
BAK	Beginning Segment for Purchase Order Acknowledgment	3
N1	Loop Name	4
N1	Name	5
N2	Additional Name Information	6
N3	Address Information	7
N4	Geographic Location	8
PO1	Loop Baseline Item Data	9
PO1	Baseline Item Data	10
PO3	Additional Item Detail	11
ACK	Loop Line Item Acknowledgment	12
ACK	Line Item Acknowledgment	13
SCH	Loop Line Item Schedule	14
SCH	Line Item Schedule	15
SE	Transaction Set Trailer	16

855 Purchase Order Acknowledgment

Functional Group=**PR**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Purchase Order Acknowledgment Transaction Set (855) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to a seller's acknowledgment of a buyer's purchase order. This transaction set can also be used as notification of a vendor generated order. This usage advises a buyer that a vendor has or will ship merchandise as prearranged in their partnership.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BAK	Beginning Segment for Purchase Order Acknowledgment	M	1			Must use
LOOP ID - N1					200		
300	N1	Name	O	1			Used
310	N2	Additional Name Information	O	2			Used
320	N3	Address Information	O	2			Used
330	N4	Geographic Location	O	1			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - PO1					100000	N2/010L	
010	PO1	Baseline Item Data	O	1		N2/010	Used
030	PO3	Additional Item Detail	O	25			Used
LOOP ID - ACK					104		
270	ACK	Line Item Acknowledgment	O	1			Used
LOOP ID - SCH					200	N2/310L	
310	SCH	Line Item Schedule	O	1		N2/310	Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
030	SE	Transaction Set Trailer	M	1			Must use

Notes:

- 2/010L PO102 is required.
- 2/010 PO102 is required.
- 2/310L The SCH segment is used to specify various quantities of items ordered that are to be scheduled. When this segment is used the unit of measurement code (SCH02) should always be identical to the unit of measurement code in the associated PO1 segment (PO103) and the sum of values of quantity (SCH01) should always equal the quantity ordered (PO102) in the PO1 segment.
- 2/310 The SCH segment is used to specify various quantities of items ordered that are to be scheduled. When this segment is used the unit of measurement code (SCH02) should always be identical to the unit of measurement code in the associated PO1 segment (PO103) and the sum of values of quantity (SCH01) should always equal the quantity ordered (PO102) in the PO1 segment.

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
		Description: Code uniquely identifying a Transaction Set				
		CodeList Summary (Total Codes: 298, Included: 1)				
		Code Name				
		855 Purchase Order Acknowledgment				
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

BAK Beginning Segment for Purchase Order Acknowledgment

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

User Option (Usage): Must use

Purpose: To indicate the beginning of the Purchase Order Acknowledgment Transaction Set and transmit identifying numbers and dates

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>								
BAK01	353	Transaction Set Purpose Code	M	ID	2/2	Must use								
<p>Description: Code identifying purpose of transaction set</p> <p>CodeList Summary (Total Codes: 65, Included: 1)</p> <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>00</td> <td>Original</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	00	Original				
<u>Code</u>	<u>Name</u>													
00	Original													
BAK02	587	Acknowledgment Type	M	ID	2/2	Must use								
<p>Description: Code specifying the type of acknowledgment</p> <p>Please Note:: <i>AT may be used at the header level to ACCEPT any PO at any Oshkosh business unit AC and RO may only be used for Defense, Defense Aftermarket or JLG POs and may only be used in conjunction with the EDI 865</i></p> <p>CodeList Summary (Total Codes: 15, Included: 3)</p> <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>AC</td> <td>Acknowledge - With Detail and Change</td> </tr> <tr> <td>AT</td> <td>Accepted</td> </tr> <tr> <td>RO</td> <td>Rejected With Counter Offer</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	AC	Acknowledge - With Detail and Change	AT	Accepted	RO	Rejected With Counter Offer
<u>Code</u>	<u>Name</u>													
AC	Acknowledge - With Detail and Change													
AT	Accepted													
RO	Rejected With Counter Offer													
BAK03	324	Purchase Order Number	M	AN	1/22	Must use								
<p>Description: Identifying number for Purchase Order assigned by the orderer/purchaser</p>														
BAK04	373	Date	M	DT	8/8	Must use								
<p>Description: Date expressed as CCYYMMDD</p>														
BAK05	328	Release Number	O	AN	1/30	Used								
<p>Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction</p>														

Loop Name

Pos: 300	Repeat: 200
Optional	
Loop: N1	Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
300	N1	Name	O	1		Used
310	N2	Additional Name Information	O	2		Used
320	N3	Address Information	O	2		Used
330	N4	Geographic Location	O	1		Used

N1 Name

Pos: 300	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

CodeList Summary (Total Codes: 1312, Included: 1)

Code Name

ST Ship To

N102	93	Name	X	AN	1/60	Used
------	----	-------------	---	----	------	------

Description: Free-form name

N103	66	Identification Code Qualifier	X	ID	1/2	Used
------	----	--------------------------------------	---	----	-----	------

Description: Code designating the system/method of code structure used for Identification Code (67)

Please Note:: AIAG recommends use of the DUNS Number, however, if no DUNS Number exists, or is unavailable, use code "92".

CodeList Summary (Total Codes: 215, Included: 1)

Code Name

92 Assigned by Buyer or Buyer's Agent

N104	67	Identification Code	X	AN	2/80	Used
------	----	----------------------------	---	----	------	------

Description: Code identifying a party or other code

N2 Additional Name Information

Pos: 310	Max: 2
Heading - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify additional names or those longer than 35 characters in length

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N201	93	Name	M	AN	1/60	Must use
		Description: Free-form name				
N202	93	Name	O	AN	1/60	Used
		Description: Free-form name				

N3 Address Information

Pos: 320	Max: 2
Heading - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

N4 Geographic Location

Pos: 330	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name Description: Free-form text for city name	O	AN	2/30	Used
N402	156	State or Province Code Description: Code (Standard State/Province) as defined by appropriate government agency	O	ID	2/2	Used
N403	116	Postal Code Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States) Please Note:: <i>Postal code should never contain any spaces or dashes</i>	O	ID	3/15	Used
N404	26	Country Code Description: Code identifying the country	O	ID	2/3	Used

Loop Baseline Item Data

Pos: 010	Repeat: 100000
Optional	
Loop: PO1 Elements: N/A	

User Option (Usage): Used

Purpose: To specify basic and most frequently used line item data

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	PO1	Baseline Item Data	O	1		Used
030	PO3	Additional Item Detail	O	25		Used
270		Loop ACK	O		104	Used
310		Loop SCH	O		200	Used

PO1 Baseline Item Data

Pos: 010 Max: 1
 Detail - Optional
 Loop: PO1 Elements: 7

User Option (Usage): Used

Purpose: To specify basic and most frequently used line item data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PO101	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set	M	AN	1/20	Used
PO102	330	Quantity Ordered Description: Quantity ordered	X	R	1/15	Used
PO103	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken All valid standard codes are used. (Total Codes: 794)	O	ID	2/2	Used
PO104	212	Unit Price Description: Price per unit of product, service, commodity, etc.	X	R	1/17	Used
PO105	639	Basis of Unit Price Code Description: Code identifying the type of unit price for an item All valid standard codes are used. (Total Codes: 91)	O	ID	2/2	Used
PO106	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) CodeList Summary (Total Codes: 477, Included: 1) Code Name BP Buyer's Part Number	X	ID	2/2	Used
PO107	234	Product/Service ID Description: Identifying number for a product or service	X	AN	1/48	Used

PO3 Additional Item Detail

Pos: 030	Max: 25
Detail - Optional	
Loop: PO1	Elements: 3

User Option (Usage): Used

Purpose: To specify additional item-related data involving variations in normal price/quantity structure

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PO301	371	Change Reason Code	M	ID	2/2	Must use
<p>Description: Code specifying the reason for price or quantity change</p> <p>CodeList Summary (Total Codes: 31, Included: 4)</p> <p>Code Name</p> <p>DC Date Change</p> <p>MU Multiple Changes</p> <p>QO Quantity Ordered</p> <p>UP Unit Price</p>						
PO306	380	Quantity	M	R	1/15	Must use
<p>Description: Numeric value of quantity</p>						
PO307	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
<p>Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken</p> <p>All valid standard codes are used. (Total Codes: 794)</p>						

Loop Line Item Acknowledgment

Pos: 270	Repeat: 104
Optional	
Loop: ACK	Elements: N/A

User Option (Usage): Used

Purpose: To acknowledge the ordered quantities and specify the ready date for a specific line item

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
270	ACK	Line Item Acknowledgment	O	1		Used

ACK Line Item Acknowledgment

Pos: 270	Max: 1
Detail - Optional	
Loop: ACK	Elements: 1

User Option (Usage): Used

Purpose: To acknowledge the ordered quantities and specify the ready date for a specific line item

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ACK01	668	Line Item Status Code	M	ID	2/2	Must use

Description: Code specifying the action taken by the seller on a line item requested by the buyer

CodeList Summary (Total Codes: 26, Included: 3)

<u>Code</u>	<u>Name</u>
IA	Item Accepted
IC	Item Accepted - Changes Made
ID	Item Deleted

Loop Line Item Schedule

Pos: 310	Repeat: 200
Optional	
Loop: SCH	Elements: N/A

User Option (Usage): Used

Purpose: To specify the data for scheduling a specific line-item

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
310	SCH	Line Item Schedule	O	1		Used

SCH Line Item Schedule

Pos: 310	Max: 1
Detail - Optional	
Loop: SCH	Elements: 7

User Option (Usage): Used

Purpose: To specify the data for scheduling a specific line-item

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SCH01	380	Quantity Description: Numeric value of quantity	M	R	1/15	Must use
SCH02	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken All valid standard codes are used. (Total Codes: 794)	M	ID	2/2	Must use
SCH03	98	Entity Identifier Code Description: Code identifying an organizational entity, a physical location, property or an individual CodeList Summary (Total Codes: 1312, Included: 1) Code Name ST Ship To	O	ID	2/3	Used
SCH04	93	Name Description: Free-form name	X	AN	1/60	Used
SCH05	374	Date/Time Qualifier Description: Code specifying type of date or time, or both date and time All valid standard codes are used. (Total Codes: 1112)	M	ID	3/3	Must use
SCH06	373	Date Description: Date expressed as CCYYMMDD	M	DT	8/8	Must use
SCH12	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set Please Note:: Oshkosh requires the PO shipment number in this element. (This comes to our suppliers in the SCH12 of the EDI 850 PO)	M	AN	1/20	Must use

SE Transaction Set Trailer

Pos: 030	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				